

Amendments to Senate Bill No. 290  
1st Reading Copy

For the Senate Local Government Committee

Prepared by Todd Everts  
February 10, 2005 (10:26am)

1. Page 5, line 30 through page 6, line 2.  
**Following:** "shows" on page 5, line 30  
**Strike:** "the" on page 5, line 30 through "(1)(h)" on page 6, line 2  
**Insert:** ": (i) the location, within 100 feet outside of the exterior property line of the subdivision and on the proposed lots, of:  
(A) flood plains;  
(B) surface water features;  
(C) springs;  
(D) irrigation ditches;  
(E) exiting, previously approved, and proposed water wells and wastewater treatment systems; and  
(F) mixing zones identified as provided in subsection (1)(g); and  
(ii) the location, within 500 feet outside of the exterior property line of the subdivision, of public water and sewer facilities"
2. Page 6, line 19.  
**Strike:** "multiple user and public"  
**Following:** "systems,"  
**Insert:** "unless cisterns are proposed,"
3. Page 6, line 24 through line 26.  
**Strike:** subsection (f) in its entirety  
**Renumber:** subsequent subsections
4. Page 7, line 5.  
**Strike:** "(1)(h)"  
**Insert:** "(1)(g)"
5. Page 7, line 22.  
**Following:** "comment"  
**Insert:** "submitted at a hearing or hearings"

- END -