

CHECKLIST ENVIRONMENTAL ASSESSMENT

Project Name: Loge site Proposed Implementation Date: May 15, 1996
 Proponent: Schellinger Construction Company
 Type and Purpose of Action: The applicant proposes to mine, crush, stockpile and haul 27,000 tons of sand and gravel from a 3 acre pit which is located 1½ miles east of the town of St. Regis. The estimated start-up date is May 15, 1996 and will result in the lowering of a bench down to the level of nearby pastures. The pit will be reclaimed to pasture after grading slopes to 3:1, replacing topsoil and re-seeding to grass.
 Location: SE¼ NE¼ Sec. 19, T18N, R27W County: Mineral

N = Not present or No Impact will occur.

Y = Impacts may occur (explain under Potential Impacts).

IMPACTS ON THE PHYSICAL ENVIRONMENT	
RESOURCE	[Y/N] POTENTIAL IMPACTS AND MITIGATION MEASURES
<p>1. GEOLOGY AND SOIL QUALITY, STABILITY AND MOISTURE: Are fragile, compactible or unstable soils present? Are there unusual geologic features? Are there special reclamation considerations?</p>	<p>[Y] The mine is located on a glacial outwash plain re-worked by the Clark Fork River. The mine site was last inundated by Lake Missoula 10,000 years ago. The deposit consists of stratified layers of alluvium and glacial outwash sand, gravel and cobbles that cover the deeper bedrock. The land is a high river terrace above the Clark Fork river.</p> <p>The Clark Fork River occupies the valley bottom which was caused by a down-dropped fault block between the rocks of the Bitterroot and Coeur D'alene Mountains to the west and the Sapphire Range to the east. The 70 to 90 million year old Cretaceous granitic rocks of the Bitterroot Mountains and the 800 million to 1.2 billion year old Precambrian rock of the Missoula group Belt Series argillites and quartzites of the Sapphire Mountain Range were sculpted into their present profiles by alpine glaciers. The billion year old Precambrian rock of the Belt Series sandstone and limestone rocks surround the deposit in towering walls sculpted by alpine glaciers.</p> <p>Up to twelve inches of fairly well drained, sandy loam topsoil overlies the glacial sands and gravels. All soil material will be salvaged and stockpiled away from the affected land. Following mining, grading and ripping, the soils will be replaced, and all other disturbed areas disced and seeded. Microbes will re-colonize the soil.</p>

<p>2. WATER QUALITY, QUANTITY AND DISTRIBUTION: Are important surface or groundwater resources present? Is there potential for violation of ambient water quality standards, drinking water maximum contaminant levels, or degradation of water quality?</p>	<p>[N] The nearest surface water is the Clark Fork River located ¼ mile to the north which will not be impacted by mining. The site will be mined to a depth of 22 feet which is above groundwater.</p> <p>There are 22 wells in section 19 that average 40 to 110 feet in depth and average 30 to 40 gallons per minute in yield.</p> <p>Special precautions will be taken to minimize possible contamination of the groundwater. All fuel and bulk lubricants will be kept out of the pit area or kept in earthen bermed containment vessels. A portable crusher and other equipment with fuel tanks are used in various places within the site. Any accidental spills or leaks from equipment will be excavated and disposed of. No waste or trash will be disposed of at the site. With these precautions, the quality and quantity of the groundwater should not be adversely impacted.</p> <p>Impacts of the proposed mine are not likely to cause any measurable change in the groundwater quality or water levels on property surrounding the site. This assumption is based on the fact that mining will not intercept the groundwater and the above precautions regarding fuels and lubricants will be implemented.</p>
<p>3. AIR QUALITY: Will pollutants or particulate be produced? Is the project influenced by air quality regulations or zones (Class I airshed)?</p>	<p>[Y] Crushers, loaders and trucking equipment typically cause dusty conditions in disturbed soil sites. Water bars, road watering and other dust controls will be used as necessary.</p> <p>Applicable federal regulations for air quality which are implemented by the state are the Standards of Performance for New Stationary Sources, 40 CFR Part 60, Subpart 000 (Nonmetallic Mineral Processing Plants). Subpart 000 sets an opacity limitation on fugitive dust emissions from the gravel crushing and handling operations.</p> <p>Cumulative Impacts - There is nothing else notable underway at this time in the immediate vicinity except for the highway project for which this gravel is being mined.</p>

<p>4. VEGETATION COVER, QUANTITY AND QUALITY: Will vegetative communities be permanently altered? Are any rare plants or cover types present?</p>	<p>[Y] Vegetation consists of Ponderosa pines and Douglas fir trees with the typical communities of Kinnikinnick, pinegrass, oregon grape and other similar type species which lie on rolling forest ground. Vegetation covers 100% of the ground and will be removed prior to mining. Some seed will remain viable in the salvaged topsoil and will re-generate. There is a moderate infestation of spotted knapweed, a legally defined noxious weed. The end use will be reclaimed as grassland. The slopes of the pit and reclaimed facility areas will be planted with compatible grasses. No rare or endangered plants have been identified in the area.</p>
<p>5. TERRESTRIAL, AVIAN AND AQUATIC LIFE AND HABITATS: Is there substantial use of the area by important wildlife, birds or fish?</p>	<p>[N] Although the area is used primarily for logging and grazing, it is also supports populations of deer, grouse, bears, rodents, song birds, coyotes, foxes, insects and various other animal species.</p> <p>The proposed mine is not expected to significantly degrade wildlife populations. The Natural Heritage Program literature search and site evaluations have not revealed any other endangered or threatened plant or animal species on site that would be significantly impacted. Seed head gall flies have been introduced to the tract to provide biological control of noxious weeds.</p>
<p>6. UNIQUE, ENDANGERED, FRAGILE OR LIMITED ENVIRONMENTAL RESOURCES: Are any federally listed threatened or endangered species or identified habitat present? Any wetlands? Species of special concern?</p>	<p>[Y] The Natural Heritage Program and site evaluations have not revealed any endangered or threatened plant or animal species that would be directly affected. Bald eagles are known to range all along the Clark Fork River Valley, but no nesting sites are known on or near the proposed permit area. No adverse effects are anticipated on the eagles as a result of this proposed action.</p>
<p>7. HISTORICAL AND ARCHAEOLOGICAL SITES: Are any historical, archaeological or paleontological resources present?</p>	<p>[N] Although there are important cultural values in the general area, portions of this site has been previously disturbed by modern man, thus destroying much of the integrity of resources that may have existed. A surface reconnaissance did not discover any cultural, historical or archeological resources. The operator will give appropriate protection to any values or artifacts discovered in the affected area. If significant resources are found, the operation will be routed around the site of discovery for a reasonable time until salvage can be conducted. The State Historical Preservation Office will be promptly notified.</p>

<p>8. AESTHETICS: Is the project on a prominent topographic feature? Will it be visible from populated or scenic areas? Will there be excessive noise or light?</p>	<p>[Y] The site is visible by the landowner. Floodlights from dark period operations increase visibility and awareness of the operation. However, reclamation will return the area to a visually acceptable landscape.</p> <p>Noise will be generated from the site when equipment is active. Noise levels are generally within the range of 60 to 90 decibels measured on-site, decreasing with distance. As a comparison, sound levels for ordinary activities such as close conversation at 60 decibels and music from a radio at 70 decibels are considered to be moderate. Levels above 90 decibels are severe, and prolonged exposure can lead to hearing loss.</p> <p>There is noise from the crusher and other noise generating equipment such as truck traffic hauling to various areas of the project. These impacts are intermittent and of relatively short duration. There is a temporary deterioration of aesthetics while the operation is under way. However, reclamation will return the area to a visually acceptable landscape.</p>
<p>9. DEMANDS ON ENVIRONMENTAL RESOURCES OF LAND, WATER, AIR OR ENERGY: Will the project use resources that are limited in the area? Are there other activities nearby that will affect the project?</p>	<p>[N]</p>
<p>10. IMPACTS ON OTHER ENVIRONMENTAL RESOURCES: Are there other studies, plans or projects on this tract?</p>	<p>[N]</p>
<p>IMPACTS ON THE HUMAN POPULATION</p>	
<p>RESOURCE</p>	<p>[Y/N] POTENTIAL IMPACTS AND MITIGATION MEASURES</p>
<p>11. HUMAN HEALTH AND SAFETY: Will this project add to health and safety risks in the area?</p>	<p>[Y] There will be an increase in safety concerns for the residents of the area. The operator will comply with all MSHA and OSHA regulations regarding heavy equipment and facilities including crushers, trucks and loaders.</p> <p>Excessive and prolonged noise and light could increase stress for nearby residents and induce difficulty sleeping. Both of these effects may be considered harmful to human health if the activities are continuous. This proposed operation is not expected to increase the levels or intensities of these impacts. It therefore should not significantly affect human health. The operator will employ proper precautions to avoid accidents.</p>

12. INDUSTRIAL, COMMERCIAL AND AGRICULTURAL ACTIVITIES AND PRODUCTION: Will the project add to or alter these activities?	[Y] The acreage listed in the Type and purpose of Action will be taken temporarily out of forest/wildlife and reclaimed to pasture after mining.
13. QUANTITY AND DISTRIBUTION OF EMPLOYMENT: Will the project create, move or eliminate jobs? If so, estimated number.	[N]
14. LOCAL AND STATE TAX BASE AND TAX REVENUES: Will the project create or eliminate tax revenue?	[N] To this date it has not been shown that the current operation has resulted in a reduction in taxable value of property and it is not anticipated that this expansion would alter past assessments.
15. DEMAND FOR GOVERNMENT SERVICES: Will substantial traffic be added to existing roads? Will other services (fire protection, police, schools, etc) be needed?	[Y] The operation will require periodic site evaluations by DSL staff until such time as the site is successfully reclaimed to the required post-mining use. However, these evaluations are usually performed in conjunction with other area operations. Cumulative Impacts - None expected.
16. LOCALLY ADOPTED ENVIRONMENTAL PLANS AND GOALS: Are there State, County, City, USFS, BLM, Tribal, etc. zoning or management plans in effect?	[Y] Zoning has been approved by the county.
17. ACCESS TO AND QUALITY OF RECREATIONAL AND WILDERNESS ACTIVITIES: Are wilderness or recreational areas nearby or accessed through this tract? Is there recreational potential within the tract?	[N]
18. DENSITY AND DISTRIBUTION OF POPULATION AND HOUSING: Will the project add to the population and require additional housing?	[N]
19. SOCIAL STRUCTURES AND MORES: Is some disruption of native or traditional lifestyles or communities possible?	[N]
20. CULTURAL UNIQUENESS AND DIVERSITY: Will the action cause a shift in some unique quality of the area?	[N]
21. OTHER APPROPRIATE SOCIAL AND ECONOMIC CIRCUMSTANCES:	[N]

22. Alternatives Considered:

1. Denial: The application would not be permitted and impacts would not occur at this location. Another site would be selected that would move impacts to another location and increase costs of the project. The owner of the gravel resource would be denied full utilization of his property at this time.

2. Approval of the permit with mitigating conditions: The Plan of Operation has been written with mitigating conditions. Mitigation measures include protection of the groundwater, fuel containment and weed control.

23. Public Involvement, Agencies, Groups or Individuals contacted: Missoula County for zoning, State Historic Preservation Office, Montana Heritage Program, County Weed Control District, County Commissioners for zoning.

24. Other Governmental Agencies with Jurisdiction, List of Permits Needed: Montana Department of Environmental Quality for Air Quality Permit; Mine Safety and Health Administration for safety permit; Montana Department of Labor & Industry, Bureau of Safety for safety permit.

25. Magnitude and Significance of Potential Impacts: Impacts are unlikely to be significant at this location because the project will be of short duration, reclamation will take place within a short time, and the population density of humans and sensitive wildlife are low in this area. The cumulative effect of this pit in conjunction with the highway project is not considered to be significant.

Recommendation for Further Environmental Analysis:

EIS More Detailed EA No Further Analysis

EA Checklist Prepared By:	<u>Rod Samdahl</u>	<u>Reclamation Specialist</u>
	Name	Title
Approved By:	_____	_____
	Name	Title
	_____	_____
	Signature	Date

Opencut

Revised, 2/25/92

Montana Bureau of Mines and Geology
Water Well Log Data
Schellinger Loge site

04/23/1996

Location: 18N 27W 19
Site Name: SENG CLIFFORD & DIANN
Depth: 136.0
Yield: 50.0
Static Water Level: 80.00
Pumping Water Level: 85.0

Casing: Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
-1.00	136.00	6.00	
Year drilled: 1978			

Location: 18N 27W 19
Site Name: HAMMER WILLIAM & AUDREY
Depth: 40.0
Yield: 30.0
Static Water Level: 25.00
Pumping Water Level: 30.0

Casing: Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
0.00	0.00	6.00	
Year drilled: 1993			

Location: 18N 27W 19
Site Name: SCHOBER JOHN AND KELLY KATHY
Depth: 220.0
Yield: 35.0
Static Water Level: 10.00
Pumping Water Level: 40.0

Casing: Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
-2.00	220.00	6.00	
Year drilled: 1994			

Location: 18N 27W 19
Site Name: AMBROSE MARTINE J.
Depth: 181.0
Yield: 70.0
Static Water Level: 0.00
Pumping Water Level: 0.0

Casing: Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
0.00	0.00	6.00	
Year drilled: 1981			

Location: 18N 27W 19
Site Name: JASPER JON
Depth: 107.0
Yield: 70.0
Static Water Level: 55.00
Pumping Water Level: 57.0

Casing: Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
0.00	0.00	6.00	
Year drilled: 1974			

Location: 18N 27W 19
Site Name: ELMORE ALLEN
Depth: 42.0
Yield: 50.0
Static Water Level: 0.00

Pumping Water Level: 0.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 2.00

Year drilled: 1961

Location: 18N 27W 19
Site Name: IVERSON DON
Depth: 182.0
Yield: 0.0
Static Water Level: 0.00
Pumping Water Level: 0.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 6.00

Year drilled: 1985

Location: 18N 27W 19
Site Name: ROBBINS JERRY
Depth: 181.0
Yield: 80.0
Static Water Level: 0.00
Pumping Water Level: 25.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 6.00

Year drilled: 1987

Location: 18N 27W 19
Site Name: TRICON TIMBER INC.
Depth: 241.0
Yield: 100.0
Static Water Level: 56.00
Pumping Water Level: 180.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 6.00

Year drilled: 1989

Location: 18N 27W 19
Site Name: MEYER CECIL C.
Depth: 40.0
Yield: 30.0
Static Water Level: 15.00
Pumping Water Level: 18.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 6.00

Year drilled: 1980

Location: 18N 27W 19
Site Name: MACY DEAN
Depth: 42.0
Yield: 30.0
Static Water Level: 14.00
Pumping Water Level: 14.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
0.00 0.00 6.00

Year drilled: 1971

Location: 18N 27W 19
Site Name: SANDRY TOMMY & MARJ.
Depth: 52.0

Yield: 40.0
 Static Water Level: 15.00
 Pumping Water Level: 30.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
 0.00 0.00 6.00
 Year drilled: 1985

Location: 18N 27W 19
 Site Name: BUZZARD MARION L.
 Depth: 174.0
 Yield: 30.0
 Static Water Level: 0.00
 Pumping Water Level: 0.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
 0.00 0.00 6.00
 Year drilled: 1981

Location: 18N 27W 19 ACBD
 Site Name: NORTHWESTERN CEDAR
 Depth: 81.0
 Yield: 200.0
 Static Water Level: 56.00
 Pumping Water Level: 56.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
 0.00 0.00 6.00
 Year drilled: 1972

Location: 18N 27W 19 BAD
 Site Name: WOODVILLE TRAILER PK
 Depth: 91.0
 Yield: 30.0
 Static Water Level: 65.00
 Pumping Water Level: 68.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
 0.00 0.00 6.00
 Year drilled: 1971

Location: 18N 27W 19 BC
 Site Name: SENG CLIFFORD
 Depth: 102.0
 Yield: 20.0
 Static Water Level: 62.00
 Pumping Water Level: 65.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type
 0.00 0.00 6.00
 Year drilled: 1973

Location: 18N 27W 19 BDDA
 Site Name: HAMMER WILLIAM
 Depth: 28.0
 Yield: 30.0
 Static Water Level: 10.00
 Pumping Water Level: 11.0

Casing: Top (ft.) Bottom (ft.) Diameter (in.) Type

Year drilled: 0.00 1973 0.00 6.00

Location: 18N 27W 19 C
 Site Name: ZIEGELE PAUL
 Depth: 32.0
 Yield: 15.0
 Static Water Level: 11.00
 Pumping Water Level: 13.0

Casing:	Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
	0.00	0.00	6.00	

Year drilled: 1982

Location: 18N 27W 19 CABD
 Site Name: MEGERA JOHN
 Depth: 16.0
 Yield: 85.0
 Static Water Level: 7.00
 Pumping Water Level: 0.0

Casing:	Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
	0.00	0.00	8.00	

Year drilled: 1957

Location: 18N 27W 19 CBA
 Site Name: SMITH FRANKLIN
 Depth: 148.0
 Yield: 0.0
 Static Water Level: 0.00
 Pumping Water Level: 0.0

Casing:	Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
	0.00	0.00	6.00	

Year drilled: 1971

Location: 18N 27W 19 CDC
 Site Name: JONES JAMES E.
 Depth: 63.0
 Yield: 20.0
 Static Water Level: 50.00
 Pumping Water Level: 50.0

Casing:	Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
	0.00	0.00	6.00	

Year drilled: 1970

Location: 18N 27W 19 DCCA
 Site Name: SKELTON HAROLD
 Depth: 113.0
 Yield: 30.0
 Static Water Level: 56.00
 Pumping Water Level: 60.0

Casing:	Top (ft.)	Bottom (ft.)	Diameter (in.)	Type
	0.00	0.00	4.00	

Year drilled: 1970